


# U BOLT RUB SS



## APPLICATION

For pipeline systems in industrial and residential buildings and Sprinkler installations meeting the VdS and FM standards.

For horizontal and vertical pipelines, the U-Bolts are applied as Fixed Points and as Guiding Supports.

## SCOPE OF DELIVERY

Four hexagon nuts included in loose form.

## INSTALLATION

When used as Guided Support, nuts have to be arranged and fixed on both sides, at the top and at the bottom of the profile. Thereby the pipe should remain flexible. When used as Fixed Point the admissible loads of the connecting elements shouldn't exceed the bending loads of the U-bolt.

## TECHNICAL DATA

Material: Stainless steel A4.

### PROSYSTEM ITALIA SRL

Via Friuli venezia Giulia, 15  
30030 Pianiga - Venezia - Italy  
T +39.041.510.1622  
F +39.041.5131351

P.IVA 03470750278  
Reg.Imp. Ve 03470750278  
Cap.soc. € 90.000,00  
REA Padova n° 311219

[info@prosystemitalia.com](mailto:info@prosystemitalia.com)  
[prosystemitalia.com](http://prosystemitalia.com)

Specification: Similar to DIN 3570 standard.

Type	NB	B [mm]	L1 [mm]	L2 [mm]	Thread
21.3	1/2"	30	45	30	M 8
26.9	3/4"	35	60	40	M 8
33.7	1"	42	67	40	M 8
42.4	1 1/4"	51	76	40	M 8
48.3	1 1/2"	57	82	40	M 8
60.3	2"	71	95	45	M 10
76.1	2 1/2"	87	111	45	M 10
88.9	3"	100	123	45	M 10
114.3	4"	126	157	55	M 12
108		121	151	55	M 12
139.7	5"	152	180	55	M 12
133		146	172	55	M 12
159		172	197	55	M 12
168.3	6"	180	207	55	M 12
219.1	8"	233	267	55	M 12
274.0	10"	302	314	70	M 20

## APPROVALS

Size NB 8" with M12 thread obtained a separate VdS Approval: No. G4810047.



### PROSYSTEM ITALIA SRL

Via Friuli venezia Giulia, 15  
30030 Pianiga - Venezia - Italy  
T +39.041.510.1622  
F +39.041.5131351

P.IVA 03470750278  
Reg.Imp. Ve 03470750278  
Cap.soc. € 90.000,00  
REA Padova n° 311219

[info@prosystemitalia.com](mailto:info@prosystemitalia.com)  
[prosystemitalia.com](http://prosystemitalia.com)

Codice	Nome	Peso	Numero di pezzi
102719	21,3 mm ½"	0.05	100
102728	26,9 mm ¾"	0.07	100
102737	33,7 mm 1"	0.07	100
102746	42,4 mm 1 ¼"	0.08	100
102889	48,3 mm 1 ½"	0.08	100
102898	60,3 mm 2"	0.16	50
102904	76,1 mm 2 ½"	0.18	50
102913	88,9 mm 3"	0.2	50
102922	108,0 mm	0.34	50
102694	114,3 mm 4"	0.35	50
102685	133,0 mm	0.39	25
102931	139,7 mm 5"	0.39	25
102940	159,0 mm	0.42	25
102700	168,3 mm 6"	0.44	25
102959	219,1 mm 8"	0.55	25
102968	273,0 mm 10"	1.88	10

**PROSYSTEM ITALIA SRL**

Via Friuli venezia Giulia, 15  
30030 Pianiga - Venezia - Italy  
T +39.041.510.1622  
F +39.041.5131351

P.IVA 03470750278  
Reg.Imp. Ve 03470750278  
Cap.soc. € 90.000,00  
REA Padova n° 311219

[info@prosystemitalia.com](mailto:info@prosystemitalia.com)  
[prosystemitalia.com](http://prosystemitalia.com)