



ANCHORING PLATE 5P AU



APPLICATION

Universal clamping element for bi-lateral attachment of crossbars for pipe runs, ducts, cable lines and equipment to steel beams.

SCOPE OF DELIVERY

Beam Clip 5P with support plate AU.

INSTALLATION

Position the Beam Clip so that the slit side of the clip is in contact with the connecting part and the head of the clip against the existing (primary) steelwork to which the assembly is being fastened. Insert the hex bolt and tighten hex nut to the required installation torque. The rounded support segment of the Beam Clip ensures that a form-fit contact is produced which prevents shifting or bending stress. Therefore a continuous Beam Clip preload force is ensured.

Determination of the required screw length L_{min} :



Arrangement A Hexagon bolt with Holding Bracket

PROSYSTEM ITALIA SRL

Via Friuli venezia Giulia, 15
30030 Pianiga - Venezia - Italy
T +39.041.510.1622
F +39.041.5131351

P.IVA 03470750278
Reg.Imp. Ve 03470750278
Cap.soc. € 90.000,00
REA Padova n° 311219

info@prosystemitalia.com
prosystemitalia.com




M12: $L_{min} = a + b + 49$ [mm]

M16: $L_{min} = a + b + 59$ [mm]

Arrangement B

Inserted T-Head Bolt HZ



M12: $L_{min} = b + 55$ [mm]

M16: $L_{min} = b + 65$ [mm]

TECHNICAL DATA

Type	climbing range [mm]	B [mm]	L [mm]	D [mm]
M12 AU	1-30	44	60	13

PROSYSTEM ITALIA SRL

Via Friuli venezia Giulia, 15
30030 Pianiga - Venezia - Italy
T +39.041.510.1622
F +39.041.5131351

P.IVA 03470750278
Reg.Imp. Ve 03470750278
Cap.soc. € 90.000,00
REA Padova n° 311219

info@prosystemitalia.com
prosystemitalia.com

Type	Tightening torque MA[Nm]	Fz permitted per Beam clip[kN] 1)	Shear force load capacity FV,x per 2 Beam Clips[kN] 2)
M12 AU	85	16.2	3.7

1) The specified data relate to the application of a standard hexagon bolt with strength class 8.8.2)
The specified data relate to the worst case with flange thicknesses 30 mm (M12) or 40 mm (M16) as well as a coefficient of static friction $\mu_R = 0.20$.

A possibly operating tensile force Fz isn't included.

Material: Steel, HCP

Codice	Nome	Peso	Numero di pezzi
115034		0.24	20
115035		0.24	20

PROSYSTEM ITALIA SRL

Via Friuli venezia Giulia, 15
30030 Pianiga - Venezia - Italy
T +39.041.510.1622
F +39.041.5131351

P.IVA 03470750278
Reg.Imp. Ve 03470750278
Cap.soc. € 90.000,00
REA Padova n° 311219

info@prosystemitalia.com
prosystemitalia.com