


T-HEAD BOLT TBO HZ 41 HCP



APPLICATION

To be used with channels 41.

TECHNICAL DATA

Type	Tightening torque Mdmax [Nm]	permissible bending moment 1) [Nm]	Lenght L [mm]	Avaiable lenght of thread [mm]
HZ 41 M10	18.0	10.0	40	35
HZ 41 M12	32.0	17.5	40	35

1) The actual bending moment shouldn't exceed the bending moment of the channel acting laterally.

Material thickness channel [mm]	FZ ≤ [kN]	FQ ≤ [kN]
1.5	4.7	2.9
2.0	5.8	3.4
2.5	5.8	4.1
3.0	5.8	4.4

Note: The permissible bearing capacity of the channels is to be respected.

PROSYSTEM ITALIA SRL

Via Friuli venezia Giulia, 15
30030 Pianiga - Venezia - Italy
T +39.041.510.1622
F +39.041.5131351

P.IVA 03470750278
Reg.Imp. Ve 03470750278
Cap.soc. € 90.000,00
REA Padova n° 311219

info@prosystemitalia.com
prosystemitalia.com

Material:

- T-Head: class 5.6, HCP;
- Threaded rod: class 4.8, HCP.

Codice	Nome	Peso	Numero di pezzi
111453	HZ41 M10×35 mm	0.05	-
111454	HZ41 M12×35 mm	0.06	-

PROSYSTEM ITALIA SRL

Via Friuli venezia Giulia, 15
30030 Pianiga - Venezia - Italy
T +39.041.510.1622
F +39.041.5131351

P.IVA 03470750278
Reg.Imp. Ve 03470750278
Cap.soc. € 90.000,00
REA Padova n° 311219

info@prosystemitalia.com
prosystemitalia.com