


ANGLED BEAM BRACKET SKO 100



APPLICATION

Beam Bracket suitable as support for horizontal structures or as reinforcement of bearing constructions on site.

INSTALLATION

Depending on the situation, different options are recommended:

- Fixing to the building structure using 4 heavy-duty anchors M12;
- Frictional construction to steel beams (flange width 80 - 120 mm) with Assembly Set 5P M12 S;
- Interlocking connection to Beam Bracket TKO 100 or 120 by means of Bracket Plates FV 100/120.

TECHNICAL DATA

Configuration: Base plate welded to beam section 100.

Material: Steel, hot-dipped galvanised.

PROSYSTEM ITALIA SRL

Via Friuli venezia Giulia, 15
30030 Pianiga - Venezia - Italy
T +39.041.510.1622
F +39.041.5131351

P.IVA 03470750278
Reg.Imp. Ve 03470750278
Cap.soc. € 90.000,00
REA Padova n° 311219

info@prosystemitalia.com
prosystemitalia.com

APPROVALS

CE mark, according to EN 1090.



Codice	Nome	Peso	Numero di pezzi
191531	SKO 100 30° L=760 mm	22	1

PROSYSTEM ITALIA SRL

Via Friuli venezia Giulia, 15
30030 Pianiga - Venezia - Italy
T +39.041.510.1622
F +39.041.5131351

P.IVA 03470750278
Reg.Imp. Ve 03470750278
Cap.soc. € 90.000,00
REA Padova n° 311219

info@prosystemitalia.com
prosystemitalia.com