

# CONCENTRIC REDUCER 241



## APPLICATION

Concentric reducer for grooved pipe steel

## TECHNICAL DATA

Working pressure: 20 bar up to 8".

Body: spheroidal graphite cast iron according to ASTM A536 and ISO 1083. Surface treatment: hot galvanized.

NB	D x d ["]	D x d [mm]	L [mm]
32 x 25	1" 1/4 x 1"	42,4 x 33,7	64
40 x 25	1" 1/2 x 1"	48,3 x 33,7	-
40 x 32	1" 1/2 x 1" 1/4	48,3 x 42,4	64
50 x 25	2" x 1"	60,3 x 33,7	64
50 x 32	2" x 1" 1/4	60,3 x 42,4	64
50x40	2" x 1" 1/2	60,3 x 48,3	64
65x32	2" 1/2 x 1" 1/4	76,1 x 42,4	64
65x40	2" 1/2 x 1" 1/2	76,1 x 48,3	64

### PROSYSTEM ITALIA SRL

Via Friuli venezia Giulia, 15  
30030 Pianiga - Venezia - Italy  
T +39.041.510.1622  
F +39.041.5131351

P.IVA 03470750278  
Reg.Imp. Ve 03470750278  
Cap.soc. € 90.000,00  
REA Padova n° 311219

[info@prosystemitalia.com](mailto:info@prosystemitalia.com)  
[prosystemitalia.com](http://prosystemitalia.com)

65x50	2" 1/2 x 2"	76,1 x 60,3	64
80 x 32	3" x 1"1/4	88,9 x 42,4	-
80 x 40	3" x 1"1/2	88,9 x 48,3	-
80x50	3" x 2"	88,9 x 60,3	64
80x65	3" x 2" 1/2	88,9 x 76,1	64
100x50	4" x 2"	114,3 x 60,3	70
100x65	4" x 2" 1/2	114,3 x 76,1	70
100x80	4" x 3"	114,3 x 88,9	70
125x65	5" x 2" 1/2	139,7 x 76,1	74
125x80	5" x 3"	139,7 x 88,9	74
125x100	5" x 4"	139,7 x 114,3	74
150 x 50	6"X2"	168,3 x 60,3	-
150 x 65	6"X2"1/2	168,3 x 76,1	-
150X80	6"X3"	168,3 x 88,9	-
150X100	6"X4"	168,3 x 114,3	-
150X125	6"X5"	168,3 x 139,7	-
200X100	8"X4"	219,1 x 114,3	100
200X150	8"X6"	219,1 x 168,3	100
250X200	10"X8"	273,0 x 219,1	159
300x250	12"X10"	323,9 x 273,0	-

## APPROVAL

FM, UL.

### PROSYSTEM ITALIA SRL

Via Friuli venezia Giulia, 15  
30030 Pianiga - Venezia - Italy  
T +39.041.510.1622  
F +39.041.5131351

P.IVA 03470750278  
Reg.Imp. Ve 03470750278  
Cap.soc. € 90.000,00  
REA Padova n° 311219

[info@prosystemitalia.com](mailto:info@prosystemitalia.com)  
[prosystemitalia.com](http://prosystemitalia.com)

Codice	Nome	Peso	Numero di pezzi
241P060048Z	60,3x 48,3 mm 2"x1"½	0.56	75
241P048042Z	48,3x 42,4 mm 1"½x1"¼	0.53	50
241P076048Z	76,1x 48,3 mm 2"½x1"½	0.64	63
241P076060Z	76,1x 60,3 mm 2"½x2"	0.74	63
241P089048Z	88,9x 48,3 mm 3"x1"½	0.8	45
241P089060Z	88,9x 60,3 mm 3"x2"	0.8	45
241P089042Z	88,9x 42,4 mm 3"x1"¼	0.8	1
241P089076Z	88,9x 76,1 mm 3"x2"½	0.94	36
241P114060Z	114,3x 76,1 mm 4"x2"½	1.28	27
241P114076Z	114,3x 76,1 mm 4"x2"½	1.28	27
241P114089Z	114,3x 88,9 mm 4"x3"	1.45	27
241P139076Z	139,7x 76,1 mm 5"x2 ½"	1.7	15
241P139089Z	139,7x114,3 mm 5"x4"	1.92	15
241P139114Z	139,7x114,3 mm 5"x4"	1.92	15
241P168076Z	168,3x 76,1 mm 6"x2 ½"	2.17	20
241P168089Z	168,3x 88,9 mm 6"x3"	2.18	20
241P168114Z	168,3x114,3 mm 6"x4"	2.39	20
241P168139Z	168,3x139,7 mm 6"x5"	2.46	12
241P219168Z	219,1x168,3 mm 8"x6"	4.53	10
241P273219Z	273,0x219,1 mm 10"x8"	9.03	8
241P324273Z	329,3x273,0 mm 12"x10"	-	-
241139076Z	139,7x 76,1 mm 5"x2"½	1.72	15

**PROSYSTEM ITALIA SRL**

Via Friuli venezia Giulia, 15  
30030 Pianiga - Venezia - Italy  
T +39.041.510.1622  
F +39.041.5131351

P.IVA 03470750278  
Reg.Imp. Ve 03470750278  
Cap.soc. € 90.000,00  
REA Padova n° 311219

[info@prosystemitalia.com](mailto:info@prosystemitalia.com)  
[prosystemitalia.com](http://prosystemitalia.com)

Codice	Nome	Peso	Numero di pezzi
241168060Z	168,3× 60,3 mm 6"×2"	2.27	12
241P219114Z	RID.CONC. 241P 8x3 - 219,1x88.9MM	4.53	10

**PROSYSTEM ITALIA SRL**

Via Friuli venezia Giulia, 15  
30030 Pianiga - Venezia - Italy  
T +39.041.510.1622  
F +39.041.5131351

P.IVA 03470750278  
Reg.Imp. Ve 03470750278  
Cap.soc. € 90.000,00  
REA Padova n° 311219

[info@prosystemitalia.com](mailto:info@prosystemitalia.com)  
[prosystemitalia.com](http://prosystemitalia.com)