
Prosystem Italia Srl
Via Friuli Venezia Giulia, 15
30030 Pianiga (VE) Italy
Tel. +39 041 5101622
Fax. +39 041 5131351

P. Iva 03470750278
Reg.Imp. Ve 03470750278
Cap. Soc. Euro 90.000,00
REA Padova n ° 311219

www.prosystemitalia.com
info@prosystemitalia.com

STABIL D-A - Group 1239



Application

For installation of pipes required for all M&E services in industrial, residential and public buildings. In combination with Triple Thread Connector NT 3G the suspension of pipe clamps up to dia. 303 mm is possible.

Scope of delivery

Two parts pipe clamp without clamping bolts and nuts. For suitable clamping bolts, see chapter "FIXINGS AND FASTENINGS".

Technical data

Material: steel, electro-galvanised.

Size range [mm]	NB	Max working load [kN]	B [mm]	L [mm]	Material W x th [mm]	Recommended clamping bolts
31 - 35	1"	4,0	70.5	52.5	30 x 2,5	M8 x 20
40 - 45	1 1/4"	4,0	82	64	30 x 2,5	M8 x 20
48 - 53	1 1/2"	4,0	90.5	72.5	30 x 2,5	M8 x 20
54 - 59		4,0	101	83	30 x 2,5	M8 x 20
60 - 65	2"	4,0	108	90	30 x 2,5	M8 x 20
67 - 72		4,0	114	96	30 x 2,5	M8 x 20
76 - 81	2 1/2"	5,0	137	115	30 x 3,0	M10 x 30
82 - 87		5,0	143	121	30 x 3,0	M10 x 30
88 - 93	3"	5,0	149	127	30 x 3,0	M10 x 30
102 - 108		5,0	163	141	30 x 3,0	M10 x 30
110 - 116	4"	5,0	171	149	30 x 3,0	M10 x 30
124 - 129		5,0	184	162	30 x 3,0	M10 x 30

133 - 140		10,0	210	181	40 x 4,0	M12 x 40
140 - 148	5"	10,0	218	189	40 x 4,0	M12 x 40
149 - 155		10,0	225	196	40 x 4,0	M12 x 40
159 - 165		10,0	235	206	40 x 4,0	M12 x 40
167 - 173	6"	10,0	243	214	40 x 4,0	M12 x 40
176 - 184		10,0	255	226	40 x 4,0	M12 x 45
188 - 194		10,0	265	236	40 x 4,0	M12 x 45
199 - 205		10,0	276	247	40 x 4,0	M12 x 45
207 - 216		10,0	287	258	40 x 4,0	M12 x 45
219 - 225	8"	10,0	296	267	40 x 4,0	M12 x 45
244 - 250		10,0	321	292	40 x 4,0	M12 x 45
267 - 273	10"	10,0	344	315	40 x 4,0	M12 x 45
278 - 284		10,0	355	326	40 x 4,0	M12 x 45
297 - 303		10,0	374	345	40 x 4,0	M12 x 45
316 - 324	324	12,5	440	390	50 x 5,0	M16 x 60
348 - 356	356	12,5	471	421	50 x 5,0	M16 x 60
360 - 368	368	12,5	482	432	50 x 5,0	M16 x 60
399 - 407	407	12,5	520	470	50 x 5,0	M16 x 60
411 - 419	419	12,5	532	482	70 x 6,0	M16 x 60
500 - 508	508	12,5	619	569	70 x 6,0	M16 x 60
513 - 521	521	12,5	631	581	70 x 6,0	M16 x 60

Tipo	Kg	Pezzi per confezione	Codice Articolo
31 - 35 mm 1''	0.09	50	113367
40 - 45 mm 1 ¼''	0.1	50	113368
48 - 53 mm 1 ½''	0.14	50	113369
54 - 59 mm	0.16	50	113370
60 - 65 mm 2''	0.18	50	113371
67 - 72 mm	0.19	50	113372
76 - 81 mm 2 ½''	0.22	25	113373
82 - 87 mm	0.23	25	113374
88 - 93 mm 3''	0.25	25	113375
102 - 108 mm	0.28	25	113376
110 - 116 mm 4''	0.3	25	113377
124 - 129 mm	0.32	25	113378
133 - 140 mm	0.65	10	113379
140 - 148 mm 5''	0.66	10	113380
149 - 155 mm	0.72	10	113381
159 - 165 mm	0.72	10	113382
167 - 173 mm 6''	0.76	10	113383
176 - 184 mm	0.83	10	113384
188 - 194 mm	0.84	10	113385
199 - 205 mm	0.89	10	113386
207 - 216 mm	0.93	10	113387
219 - 225 mm 8''	0.96	10	113388
244 - 250 mm	1.02	10	113389
267 - 273 mm 10''	1.16	10	113390

Tipo	Kg	Pezzi per confezione	Codice Articolo
278 - 284 mm	1.2	10	113391
297 - 303 mm	1.27	10	113392
316 - 324 mm 12''	2.35	1	103701
348 - 356 mm 14''	2.53	1	103729
360 - 368 mm	2.54	1	103747
399 - 407 mm 16''	2.66	1	103765