

**Prosystem Italia Srl**

Via Friuli Venezia Giulia, 15  
30030 Pianiga (VE) Italy  
Tel. +39 041 5101622  
Fax. +39 041 5131351


P. Iva 03470750278  
Reg.Imp. Ve 03470750278  
Cap. Soc. Euro 90.000,00  
REA Padova n ° 311219

[www.prosystemitalia.com](http://www.prosystemitalia.com)  
[info@prosystemitalia.com](mailto:info@prosystemitalia.com)



SUPPORT BRACKET WK SS - [prosystemitalia.com](http://prosystemitalia.com)

## SUPPORT BRACKET WK SS - Group 1726



### Application


May be used for wall, floor and overhead pipe installations. Depending on the site, pipes may lie on the support bracket (U bolt), be arranged in vertical position or be suspended (grub screws).

In combination with bolted-on channels, the support brackets offer a wide range of possibilities for cantilever arrangements. In addition, the load capacity of crossbars can be increased by fixing them onto Support Brackets.

### Technical Data

Material: Stainless steel A4.

### Support bracket 100/100



Load class (up/bottom):

A = 1,5/1,5 [kN]


B = 2,5/1,5 [kN]

C = 3,5/1,5 [kN]


a = 70 mm

f ≤ 1 mm

$\sigma_{\max} \leq 160 \text{ N/mm}^2$



### Support bracket 150/150



Load class (up/bottom)

A = 1,5/1,5 [kN]


B = 2,5/1,5 [kN]

C = 3,5/1,5 [kN]

a = 70 mm

f ≤ 1 mm

$\sigma_{\max} \leq 160 \text{ N/mm}^2$



Tipo	Kg	Pezzi per confezione	Codice Articolo
100/100-30 A4	0.16	10	118383
150/150-40 A4	0.58	25	193655