
Prosystem Italia Srl
Via Friuli Venezia Giulia, 15
30030 Pianiga (VE) Italy
Tel. +39 041 5101622
Fax. +39 041 5131351

P. Iva 03470750278
Reg.Imp. Ve 03470750278
Cap. Soc. Euro 90.000,00
REA Padova n ° 311219

www.prosystemitalia.com
info@prosystemitalia.com

CONCENTRIC REDUCER MOD. 241 - Group 241P





Application

Concentric reducer for grooved pipe steel

Technical data

Working pressure: 20 bar up to 8”.

Body: spheroidal graphite cast iron according to ASTM A536 and ISO 1083.
Surface treatment: red painted RAL 3000 or hot galvanized.

NB	D x d ["]	D x d [mm]	L [mm]
32 x 25	1" 1/4 x 1"	42,4 x 33,7	64
40 x 25	1" 1/2 x 1"	48,3 x 33,7	-
40 x 32	1" 1/2 x 1" 1/4	48,3 x 42,4	64
50 x 25	2" x 1"	60,3 x 33,7	64
50 x 32	2" x 1"1/4	60,3 x 42,4	64
50x40	2" x 1" 1/2	60,3 x 48,3	64
65x32	2" 1/2 x 1"1/4	76,1 x 42,4	64
65x40	2" 1/2 x 1"1/2	76,1 x 48,3	64
65x50	2" 1/2 x 2"	76,1 x 60,3	64
80 x 32	3" x 1"1/4	88,9 x 42,4	-
80 x 40	3" x 1"1/2	88,9 x 48,3	-
80x50	3" x 2"	88,9 x 60,3	64
80x65	3" x 2" 1/2	88,9 x 76,1	64
100x50	4" x 2"	114,3 x 60,3	70
100x65	4" x 2" 1/2	114,3 x 76,1	70
100x80	4" x 3"	114,3 x 88,9	70
125x65	5" x 2" 1/2	139,7 x 76,1	74
125x80	5" x 3"	139,7 x 88,9	74
125x100	5" x 4"	139,7 x 114,3	74

150 x 50	6"X2"	168,3 x 60,3	-
150 x 65	6"X2"1/2	168,3 x 76,1	-
150X80	6"X3"	168,3 x 88,9	-
150X100	6"X4"	168,3 x 114,3	76
150X125	6"X5"	168,3 x 139,7	-
200X100	8"X4"	219,1 x 114,3	85
200X150	8"X6"	219,1 x 168,3	85
250X200	10"X8"	273,0 x 219,1	90
300x250	12"X10"	323,9 x 273,0	-

Approval

FM, UL.

Tipo	Kg	Pezzi per confezione	Codice Articolo
	4	6	241P273168
	1.45	24	241114089C
	1.7	15	241139089C
	1.92	15	241139114C
	2.46	12	241168139C
139,7× 76,1 mm 5''×2 ½''	1.7	15	241P139076
42,4× 33,7 mm 1''¼×1''	0.53	128	241P042034
139,7× 88,9 mm 5''×3''	1.7	15	241P139089
48,3× 33,7 mm 1''½×1''	0.53	1	241P048034
139,7×114,3 mm 5''×4''	1.92	15	241P139114
48,3× 42,4 mm 1''½×1''¼	0.53	110	241P048042
168,3× 60,3 mm 6''×2''	2.14	20	241P168060
60,3× 33,7 mm 2''×1''	0.53	88	241P060034
168,3× 76,1 mm 6''×2 ½''	2.17	20	241P168076
60,3× 42,4 mm 2''×1''¼	0.53	80	241P060042
168,3× 88,9 mm 6''×3''	2.18	20	241P168089
60,3× 48,3 mm 2''×1''½	0.56	75	241P060048
168,3×114,3 mm 6''×4''	1.27	20	241P168114
76,1× 42,4 mm 2''½×1''¼	0.63	63	241P076042
168,3×139,7 mm 6''×5''	1.13	12	241P168139
76,1× 48,3 mm 2''½×1''½	0.64	63	241P076048
76,1× 60,3 mm 2''½×2''	0.74	63	241P076060
88,9× 42,4 mm 3''×1''¼	0.8	45	241P089042
88,9× 48,3 mm 3''×1''½	0.8	45	241P089048
88,9× 60,3 mm 3''×2''	0.8	45	241P089060

Tipo	Kg	Pezzi per confezione	Codice Articolo
88,9× 76,1 mm 3''×2''½	0.94	36	241P089076
	1.22	27	241P114048
114,3× 60,3 mm 4''×2''	1.22	27	241P114060
114,3× 76,1 mm 4''×2''½	1.28	27	241P114076
114,3× 88,9 mm 4''×3''	1.45	27	241P114089